

CANADIAN MAILBOX COMPANY

Catalogue 16

10550/CAN
BuyLine 8334



Mailboxes • Postal Specialties • Lobby Accessories



S-101



S-105




1100P




1200



1100



1400



3313

5170, Saint-Patrick Street, Montreal (QC) Canada H4E 4N5 • Tel.: (514) 362-1397 • Fax.: (514) 362-1412
800-363-8735 • www.canadianmailbox.com • info@canadianmailbox.com



MANUFACTURING MAILBOXES SINCE 1976



#1 MAILBOX CHOICE NATIONWIDE

WHO ARE WE

CMC (Canadian Mailbox Company) has proudly supplied quality mailboxes to North America and beyond for more than 25 years. Our modern facilities located in the heart of Montreal's Industrial Park on St- Patrick street bordering the Lachine Canal, is only minutes away from historical Old Montreal. Founded in 1976 **CMC** has maintained industry leadership by manufacturing and distributing high quality mailboxes and postal specialty products, while meeting the demands of a changing industry.

PRODUCTS

CMC offers a wide range of products, whether you require vertical, horizontal, recessed wall mounted or pedestal type mailboxes for Interior or Exterior application for residential apartments, commercial buildings or private mailboxes, collection or drop off boxes, key keepers, key cabinets, postman's electric door opener, cigarette butt out boxes, lobby accessories or special made to measure boxes, our experienced customer service department staff is ready to assist you

DESIGN ASSISTANCE

CMC sales professionals are available to work with architects, specification writers, designers, and or individuals involved in creating a mail room distribution facility by using Auto Cad drawings.

LARGE INVENTORY

Our warehouse is filled with thousands of different Mailboxes and related products to meet your requirements on time. Most standard orders are shipped within 24 hours. Look for this symbol.



CUSTOMER SERVICE

Our sales professionals are always ready to assist you with product information, quotations or taking your orders between 8:00 a.m. and 4 p.m. EST, Monday through Friday. Through our network of distribution and regional agents you can always count on **CMC** to be there for you.

HOW TO REACH US

Telephone: (514) 362-1397
Fax: (514) 362-1412
Toll Free: 1-800-363-8735 - Canada / USA
Toll Free: 1-888-388-1397 - International
E-mail: info@canadianmailbox.com
Web Site: www.canadianmailbox.com

QUICK INDEX

VERTICAL MAILBOXES

Interior	4, 5
Exterior	6

HORIZONTAL MAILBOXES

Interior front & back loading recessed	7, 9, 10, 11, 12, 13
Exterior front loading wall mount & pedestal	8
CBU exterior pedestal type	14

BOOK DROPS & COLLECTION BOXES

Book depositories & drops	15, 16, 17, 20
Collection boxes free standing	15, 16
Collection boxes recessed	15, 17, 18, 19
Collection boxes wall mount	19

PRIVATE MAILBOXES & DOOR SLOTS

Private letter boxes, wall mount	22
Letter slots	23, 25

MISCELLANEOUS

Key keepers	20, 22, 30
Electric door opener (for postal lock)	21, 22
Cigarette BUTT-OUT boxes	21, 22
Locks, parts and replacement doors	26, 27, 28
Key Cabinets	28, 29, 30
Upgrade Kit	31



MAILING ADDRESS


Canadian Mailbox Co.
 5170, Saint Patrick St. Montreal,
 Quebec, Canada H4E 4N5

Vertical mailboxes - interior S-101 series



#1 MAILBOX CHOICE NATIONWIDE / MEETS OR EXCEEDS CANADA POST STANDARDS

GANG SELECTION



**S-101 Recessed
Wall Opening Sizes**

Number	Wall Cutout	Outside
1	6 1/2" (165)	8" (203)
2	12" (305)	13 1/2" (343)
3	17 1/2" (445)	19" (483)
4	23" (585)	24 1/2" (622)
5	28 1/2" (724)	30" (762)
6	34" (864)	35 1/2" (902)
7	39 1/2" (1003)	41" (1041)

* All measurements in brackets are in millimeters.

APPLICATION

- Condominiums
- Small Apartment Buildings
- Campgrounds


FEATURES & BENEFITS

Quality - Model S-101 vertical mailbox has a level of quality and durability that is unequalled in our industry.

Security - Constructed with heavy gauge reinforced extruded aluminum to give a lifetime of service and maximum protection for the mail.

Performance - The trim and doors have striated vertical lines to resist scratching and marring. All exposed materials are of a fine quality aluminum; smooth interior surfaces are maintenance free.

Installation - The excellence of design allows the mailboxes to be installed easily and quickly.



OPTIONS *

- Available with surface collars or semi-recessed collars.
- Alphabetical directory non-illuminated.
- Bell buttons 5/8" (6) diameter installed on either top or bottom frame.
- Outgoing mailslot 4 3/4" W x 1/2" H (120 x 12)
- Double size door.
- Brass or bronze finish.
- Plastic engraved numbers, adhesive or riveted on doors.
- Pad lock loop and handle.
- Master lock (S-127) when units are for private mail distribution.
- Additional keys per lock when ordering.

* charges apply

Vertical mailboxes - interior S-101 series



#1 MAILBOX CHOICE NATIONWIDE / MEETS OR EXCEEDS CANADA POST STANDARDS

GANG SELECTION



DOOR SIZES

Single



Double



Outgoing mailslot




SR-Semi-Recess Collar



SM-Surface Collar

Double Row
Installation Drawing



ARCHITECTURAL SPECIFICATIONS

Furnish and install S-101 series vertical mailboxes as manufactured by CMC. Specify aluminum or brass finish, surface or recessed mounted and for Canada Post or for private mail distribution. Materials, sizes and construction shall comply with current mailbox regulations. Framing materials and fastener for proper installation shall be provided by the contractor.

DOOR IDENTIFICATION

Each mailbox door includes a 2 1/2" W x 5/8" H (64 x 6) indentation to accommodate a label (included) to identify the tenant's name and/or box number. Custom identification systems are available as an option upon request.

LOCKS (STANDARD)


Each mailbox door includes a five (5) pin cylinder cam lock with (2) keys Canada Post approved (1000 different key changes).

OPTIONS *

- Additional keys per lock when ordering
- Key blanks - box of (50).

* charges apply

S-134



Lock

HL1




Additional keys

Vertical mailboxes - exterior



#1 MAILBOX CHOICE NATIONWIDE / MEETS OR EXCEEDS CANADA POST STANDARDS

Model S-202-DD (Double deck)




Actual sizes

QUANTITY	GANG		
6	3+3	19" (483)	38 1/2" (978)
8	4+4	24 1/2" (622)	38 1/2" (978)
10	5+5	30" (762)	38 1/2" (978)
12	6+6	35 1/2" (902)	38 1/2" (978)
14	7+7	41 1/2" (1055)	38 1/2" (978)

* All measurements in brackets are in millimeters.

Model S-301-SD (Single deck)




OPTIONS *

- Engraved plastic numbers riveted on doors.

* charges apply

Model S-302-SM (Surface mount)



Dimensions

NUMBER OF DOORS	WIDTH		
3	19" (483)	19 1/4" (489)	7 1/4" (184)
4	24 1/2" (622)	19 1/4" (489)	7 1/4" (184)
5	30" (762)	19 1/4" (489)	7 1/4" (184)
6	35 1/2" (902)	19 1/4" (489)	7 1/4" (184)
7	41 1/2" (1055)	19 1/4" (489)	7 1/4" (184)

* All measurements in brackets are in millimeters.

- Rear of box comes with 4 key-hole slots 3/16" (5) ready for fastening to wall

MAILBOX DESCRIPTION

- Extruded aluminum tenant doors and frames.
- Available in natural anodized finish
- Available from 3 to 7 compartments.
- Each tenant door has a 5 pin cylinder cam lock with 2 keys each, 1000 changes.
- Wrapped around with 0.080" (2) brushed anodized aluminum shroud for added security and strength.
- Ideal for apartments with small or no lobbies.
- Identification cardboard name and number tabs supplied as standard.

PEDESTAL DESCRIPTION

- SMALL pedestal for 3 or 4 gang units.
- LARGE pedestal for 5, 6 or 7 gang units.
- Pedestal post made of 5" x 5" (128 x 128) square steel tubing.
- Top and bottom plates are 1/8" (.32) thick formed steel.
- Finish grey polyester (1.5 mil.) powder paint.

S-202, S-301 and S-302 are the S-101 series modified with shroud for exterior use.

Horizontal mailboxes - interior




#1 MAILBOX CHOICE NATIONWIDE / MEETS OR EXCEEDS CANADA POST STANDARDS


Models 1100 F/L (Front loading) Model 1100 B/L (Back loading)

- Natural anodized aluminum surface materials.
 - Front loading mailboxes are constructed of heavy gauge extruded aluminum doors and support bars that provide the highest degree of appearance and security.
 - Mailbox compartments are constructed of heavy gauge metal with extruded aluminum support bars.
 - 3, 4, 5, 6 compartments wide.
 - 3, 4, 5, 6, 7, 8 compartments high.
 - Locks are 5-pin cylinder cam type, 2 keys each, 1000 changes.
 - Identification: 1/2" (12) high engraved number on Gravoply plastic plate, black numbers on grey background, with transparent window & metal backing.
 - Optional heights of over 8 doors high are available upon request.
 - Maximum 6 doors wide, based on "A" size doors.
 - Gate can open to the left upon request at no extra charge.
 - Doors A, BH, BV, C, D, E can be put on a unit at no extra charge.
- See page 26 for sizes.
- Optional snap-on trim can be supplied. Trim is 1 1/4" (32) wide and comes in matching finish to the box. Mounting screws and clips are provided.
 - **IMPORTANT:** On front load units, one compartment is allocated for Crown lock, unless the partial door option is requested.

1100 F/L



1100 B/L



Wall opening sizes

NUMBER OF DOORS	HEIGHT	NUMBER OF DOORS	
3	17 1/2" (445)	3	21 1/8" (538)
4	22 15/16 (583)	4	27 5/8" (700)
5	28 1/4" (718)	5	34" (863)
6	33 3/4 (858)	6	40 7/16" (1026)
7	39 1/8" (994)		
8	44 1/2" (1130)		

* All measurements in brackets are in millimeters.

OPTIONS *

- Optional hinged rear door equipped with cam lock or adapted for Canada Post lock.
- Gold / Brass.
- Aluminum trim.
- Handicap logo engraved on doors or stick on.
- CMC master lock available in lieu of Postal lock, for private use on all models.
- One compartment is convertible to receive outgoing mail, slot with postmasters approval.

* charges apply


EASY INSTALLATION

Both front and rear load mailboxes are completely assembled at the factory and require no field assembly.

PARTIAL DOOR OPTIONS *

The postal lock door can be simultaneously used as a tenant door by installing a partial door.
Can be provided on any size door.


* charges apply



#1 MAILBOX CHOICE NATIONWIDE / MEETS OR EXCEEDS CANADA POST STANDARDS

Model 1100-WM

(Wall mount)



FEATURES

- Natural anodized aluminum surface materials.
- Constructed of heavy gauge extruded aluminum doors and support bars that provide the highest degree of appearance and security.
- Mailbox compartments are constructed of heavy gauge metal with extruded aluminum support bars.
- Reinforced back with 4 key-hole slots 3/16" (5) for easy installation.
- Mailbox housing - aluminum WRAP-AROUND shroud .080" (2) thick brushed and anodized.
- Identification: 1/2" (12) high engraved number on Gravoply plastic plate, black numbers on grey background, with transparent window & metal backing.
- Each tenant door has a 5-pin cylinder cam lock with 2 keys each, 1000 changes.
- Pedestal post made of 5" (127) square steel tubing.
- Top and bottom plates are 1/4" (6) thick steel plate.
- Fasteners, screws, washers and jam nuts are supplied to fasten mailbox unit to pedestal.
- Finish grey polyester (1.5 mil.) powder point.

IMPORTANT: On front loading units one compartment is allocated to the Crown lock, unless a partial door is requested.

Model 1100-P

(Pedestal)




OPTIONS *

- Available with plain door.
- Shroud can be cut flush for indoor use.
- Available with painted steel shroud.
- Apartment numbers engraved on doors.
- Handicap logo engraved on doors or stick on.

* charges apply



For pedestal sizes
see page 6



Horizontal mailboxes - interior



#1 MAILBOX CHOICE NATIONWIDE / MEETS OR EXCEEDS CANADA POST STANDARDS

Model 1200 (Front loading with standard locking bar) Model 1210 (Rear loading horizontal type mailboxes)

CHARACTERISTICS

CMC Models 1200 and 1210 are constructed of heavy gauge extruded aluminum with clear anodized surface materials that provide a high degree of appearance. Shelves and dividers are made of galvanized steel with extruded aluminum support bars. The 4" (101) wide locking bar panel is strictly to house the Postal lock or a private lock, for added security it is made of extruded aluminum with interlocking hinged door to close simultaneously with the main gate.

APPLICATIONS

Apartment buildings, Universities, Hospitals, Transport companies, Mail distribution centres, Post Offices, Military bases and much more.

STANDARD FEATURES

- **DOORS:** A, BH, BV .093 Thk. C .125 Thk. in 6060 alloy extruded aluminum.
- **FRAME BARS:** .062 Thk. in 6063 alloy extruded aluminum.
- **LOCKING BAR PANEL:** .093 Thk. in 6063 alloy 4" (101) wide extruded aluminum.
- **MAIN GATE:** Equipped with a pull handle to ease the functioning of gate.
- **COMPARTMENTS:** Shelves & partitions 22 ga. (0,5) satin coat steel with extruded aluminum support bars.
- **LOCKS:** 5 pin cam type with 3 keys (1000 different changes).
- **FINISH:** Clear anodized aluminum surface materials.
- **IDENTIFICATION:** 1/2" (12) high engraved on gravoply plastic with adhesive backing for easy stick on into the appropriate indentation. Black numbers on silver background.
- **DOOR SIZES:** A Standard, BH (Horizontal), BV (Vertical), C (parcel).
- **MODULE SIZES:** Grouped in combinations of 3, 4, 5, 6 Compartments wide and 3, 4, 5, 6, 7, 8 high based on A size door.
- **MODULE DEPTH:** 17" (432).
- **EASY INSTALLATION:** Both front & rear loading mailboxes are completely assembled at the factory and require no field assembly.

OPTIONS *

- Matching snap-on-trim 1 1/4" (32) wide.
- CMC Master lock for private use in lieu of the Postal lock.
- Rear door lockable, equipped for Postal lock or with cam lock.
- Rear lift off panel.
- Handicap logo engraved on door or adhesive.
- Modules over 8 doors high.
- Outgoing mail slot any size on any door.
- Special engraving on door: outgoing mail, parcel, Administration.
- Available in wall mount or pedestal styles.
- Master keyed, combination or push button locks.

* charges apply

Note: For rear loading deduct 3 1/2" (89) on the width.



Door Sizes


	HEIGHT	WIDTH
A	5" (127)	6" (152)
BH	5" (127)	12" (305)
BV	10 3/8" (264)	6" (152)
C	10 3/8" (264)	12" (305)

* All measurements in brackets are in millimeters.

Rough wall opening sizes

NO. OF DOORS	HEIGHT	WIDTH
3	17 1/2" (445)	23" (585)
4	22 7/8" (580)	28 7/8" (734)
5	28 1/8" (714)	34 7/8" (885)
6	33 1/2" (850)	40 3/4" (1035)
7	38 3/4" (985)	

* All measurements in brackets are in millimeters.



Horizontal mailboxes - interior



#1 MAILBOX CHOICE NATIONWIDE

Model 1301 (Front loading)

Model 1302 (Back loading)

The 1301 front loading and 1302 back loading mailboxes offer a unique new design for the private distribution of mail. These mailboxes meet or exceed all the regulations of C.P. except for the compartment sizes A and C.

- Natural anodized aluminum surface materials.
- Groups - 9, 10, 11, 12 compartments high - 3, 4, 5 compartments wide.
- Each tenant door has a 5-pin cylinder cam lock with 2 keys each, 1000 changes.
- Identification: 1/2" (12) high engraved number on Gravoply plastic plate, black numbers on grey background, with transparent window & metal backing.
- A and C size doors are for private use.
- B and D size doors are Canada Post approved.


OPTIONS *

- Locks - 3 digit combination lock single dial.
- 5 push button combination lock.
- 5 pin cylinder spring latch.
- Finishes (G) Anodized Gold. (D) Duranotic Bronze.
- Matching snap-on trim.
- 1/2" (12) high engraved numbers on doors.
- Available in more than 12 compartments high.
Contact customer service.
- Rear cover for back loading.
- Door with pull and magnet, without lock.
- CMC master lock.
- Handicap logo engraved on doors or stick on.

* charges apply



IMPORTANT: On front load units one compartment is allocated to main gate lock.



Door Sizes


DOOR	HEIGHT	
A	3" (76)	6 3/8" (162)
B	6 3/8" (162)	6 3/8" (162)
C	3" (76)	12 7/8" (328)
D	6 3/8" (162)	12 7/8" (328)

* All measurements in brackets are in millimeters.

Rough wall opening

NUMBER OF DOORS	HEIGHT	NUMBER OF DOORS	
9	32 3/8" (823)	3	21 1/8" (538)
10	35 1/2" (902)	4	27 5/8" (700)
11	38 7/8" (988)	5	34" (863)
12	42 1/4" (1073)		

* All measurements in brackets are in millimeters.



Horizontal mailboxes - interior



#1 MAILBOX CHOICE NATIONWIDE

Model 1310 (Front loading)

Model 1320 (Back loading)

The 1310 Series - Front Load and 1320 Series - Back Load are designed for private and postal distribution of mail (A and B sizes for private use).

They are used for campus post offices, dormitories, office buildings, military posts and other installations not serviced by Canada Post.

This mailbox offers compartment sizes as specified in the chart below and is available in a wide variety of group sizes and configurations to accommodate your particular applications.

- Groups - 7, 8, 9, 10 compartments high -
3, 4, 5, 6 compartments wide.
- Locks are 5-pin cylinder cam type, 2 keys each, 1000 changes.
- Identification: 1/2" (12) high engraved number on Gravoply plastic plate, black numbers on grey background, with transparent window & metal backing.


OPTIONS *

- Finishes Gold / Bronze.
- Matching snap-on trim.
- 1/2" (12) high engraved numbers on doors.
- Rear cover for back loading.
- Door with pull and magnet, without lock.
- CMC master lock.
- Handicap logo engraved on doors or stick on.

* charges apply



IMPORTANT: On front load units one compartment is allocated to main gate lock.



Door Sizes


DOOR	HEIGHT	
A	5"	4"
	(127)	(102)
B	10 3/8"	4"
	(264)	(102)
C	5"	8"
	(127)	(203)
D	10 3/8"	8"
	(264)	(203)
E	5"	12"
	(127)	(305)
F	10 3/8"	12"
	(264)	(305)

Rough wall opening

NUMBER OF DOORS	HEIGHT	NUMBER OF DOORS	HEIGHT
7	39"	3	14"
	(991)		(356)
8	44 3/8"	4	18 1/16"
	(1128)		(459)
9	49 3/4"	5	22 1/8"
	(1264)		(562)
10	55 1/4"	6	26 3/16"
	(1403)		(665)

* All measurements in brackets are in millimeters.

* All measurements in brackets are in millimeters.



Vault type mailboxes (heavy duty) - interior



#1 MAILBOX CHOICE NATIONWIDE / MEETS OR EXCEEDS CANADA POST STANDARDS

Model 2600 (Front loading)

Model 2610 (Back loading)

High security vault type horizontal mailboxes

CHARACTERISTICS

CMC Models 2600 front loading and 2610 back loading series have a unique high-security, vault-type design and a three point locking mechanism which protects the doors from being pried open. The vault-type give added protection against vandalism and decreases the maintenance costs. On front loading one master door is lost to the Postal lock.

APPLICATIONS

Apartment buildings, Colleges, Transport companies, Airport terminals, Hospitals, Government agencies, Mail distribution centres, Military bases, Prisons, Conventions centres.


STANDARD FEATURES

- **Door thickness:** 1/4" (6) extruded aluminum.
- **Gate frame:** Solid extruded aluminum.
- **Compartments:** 22 ga. (0.5) galvanized steel.
- **Locks:** 5 pin cam type with 2 keys (1000 different changes).
- **Finish:** Available only in clear brushed anodized finish.
- **Identification:** Engraved on doors, up to 4 digits.
- **Doors sizes:** Available only in one size 5 1/8" x 6 7/16" (130 x 164).
- **Reinforced doors:** Edges are 9/32" (7) thick.
- **Module sizes:** Grouped in combinations of **3, 4 or 5** compartments wide and **5, 6 or 7** compartment high.
- **Module depth:** 17" (432)
- **Easy Installation:** Both front and rear loading mailboxes are completely assembled at the factory and require no field assembly.



ONLY AVAILABLE FROM CANADIAN MAILBOX CO.


THE ALL NEW DESIGN 3 WAY LOCKING DOOR



Dimensions

NUMBER OF DOORS	HEIGHT	
3		22" (559)
4		28 1/2" (724)
5	29" (736)	35" (889)
6	34 1/2" (876)	
7	40" (1016)	

* All measurements in brackets are in millimeters.



Horizontal mailboxes - interior



#1 MAILBOX CHOICE NATIONWIDE / MEETS OR EXCEEDS CANADA POST STANDARDS

Model S-104 (Front loading)

Model S-105 (Back loading)

How many mailboxes are you going to need in six months? In one year? What sizes will you need? Would you like to move just a few boxes to a new location to test a new site?

If you are tired of trying to second guess your market needs, then the CMC Modular System is your answer.

Unlike other manufacturers who require you to purchase groups of boxes all at one time, CMC will sell you one box, or 100 boxes... or anything in between. It's your decision. You are the boss and you are in control.

We have made it simple for you. CMC mailboxes are packaged separately not only for quick shipment, but also to allow you to mix or match any combination of sizes to fit your own needs.

These models are designed for large apartment buildings, model S-104 provides mail carrier front access for distribution of mail, where as model S-105 must have a mail room.

STANDARD FEATURES

- "A" size door not postal approved.
- Rugged construction.
- Doors 1/4" (6) thick heavy premium quality aluminum.
- Frame 3/16" (5) sheet aluminum.
- Hinge, steel continuous piano type.
- Housing / Cabinets made of 22 gauge galvanized steel.
- Metal cardholder strip on back of rear loading units.
- Locks are 5-pin cylinder cam type, 2 keys each, 1000 changes.
- Identification engraved on gravoply plastic, black on grey.
- Supplied with bolts and nuts for assembly on site (model S-105).

Front loading is available in the following sizes:

- 3 or 4 doors wide (based on "B" size door).
- 3, 4, 5, 6, 7, 8 doors high.

S-104 FL



Rough wall opening for S-104 FL


NUMBER OF DOORS	3	4	5	6	7	8
HEIGHT	18 1/2" (470)	24" (610)	29 1/2" (750)	35" (890)	40 1/2" (1028)	46" (1168)
WIDTH	20" (508)	26" (660)				

* All measurements in brackets are in millimeters.


OPTIONS *

- Identification numbers engraved on doors or plexiglass.
- Rear lockable door with cam lock or postal lock adaptor.
- Aluminum trim.


* charges apply



S-105 BL



Mailroom Required



Door Sizes

DOOR	HEIGHT	
A	5 1/2" (140)	4" (102)
B	5 1/2" (140)	6" (152)
C	5 1/2" (140)	12" (305)
D	11" (279)	12" (305)
E	11" (279)	24" (610)
F	16 1/2" (420)	12" (305)

* All measurements in brackets are in millimeters.

Millenium Models (Front loading)

Type I (3313)

Type II (3312)

Type III (3316)

Superior Durability

- Cluster boxes consist of inner and outer aluminum cabinets, heavy gauge aluminum compartments and aluminum doors.
- The finish on each box is applied on treated aluminum for a tough, scratch, and corrosive resistant surface.
- All hardware, and hinges are made of stainless steel.

High Level of Security

- 0.100" thick welded aluminum protective outer cabinet.
- 0.125" - 0.250" thick aluminum doors.
- 5-pin cam locks, with spring loaded cover. 1000 key changes, with 3 keys.

Ease of Use



- Master door gate is hinged on the outer corners of the cluster box to allow for easy access to all mail slots for mail carriers.
- Quick release door lock latch.

Ask your local postal authority for final approval


- All three types of clusters boxes are for postal delivery.
- Each unit has a parcel locker equipped to accept Canada Post lock and outgoing mail slot.

Unit dimensions

MODEL	DESCRIPTION	HEIGHT	WIDTH	DEPTH	WEIGHT
3312	Type II (12 Doors)	31 3/4" (805)	28 1/2" (724)	17 3/4" (450)	95 lbs 43 kg
3313	Type I (13 Doors)	45 3/4" (1161)	28 1/2" (724)	17 3/4" (450)	110 lbs 50 kg
3316	Type III (16 Doors)	45 3/4" (1161)	28 1/2" (724)	17 3/4" (450)	115 lbs 52 kg
3385	Pedestal	17" (431)	12" (305)	6" (151)	20 lbs 9 kg
3395	Pedestal	31" (787)	12" (305)	6" (151)	30 lbs 13 kg
3390	Replacement locks standard with 3 keys.				
3399	Blank keys box of 50 pieces.				




**TYPE I
3313**



**Pedestal
3385**

**TYPE II
3312**



**Pedestal
3395**

**TYPE III
3316**




**Pedestal
3385**

Drop and collection boxes



#1 MAILBOX CHOICE NATIONWIDE

Model 2100




OPTIONS *

- Lock on rear door.
- Lock on front drawer.

* charges apply

- Steel construction.
- Off white baked enamel paint.
- Rear magnetic door.
- Face plate 10 GA. steel.
- Other parts 16 GA. steel.



Dimensions

	HEIGHT	WIDTH	
Box	24 1/2" (620)	16 1/5" (280)	18" (455)
Slot	1" (25)	11" (280)	
Drawer Size	7" (180)	15" (380)	

* All measurements in brackets are in millimeters.



Model 1400


- Private mail drop and collection boxes.
- Free standing, bolts to floor.
- Mail or small parcels are inserted through top door.
- Bottom retrieval door made of two steel plates for extra strength.
- 14 gauge steel construction.
- Counter balanced self closing drawer.
- Upper drawer access.
Open position : 4 3/4"H x 15 1/2"W (121 x 394).
- Lower door access:
Open position: 14 1/2"H x 15 1/2"W (368 x 394).
- Standard loop bar for padlock.
- Colors: Off white, black or grey enamel paint.

OPTIONS *

- MEDECO or ABLOY high security locks.
- Engraved company logo / signage.
- For other options contact customer service

* charges apply

Shipping weight : 140 lbs (63.6 kg).



Model 1011 & 1012

ECONOMICAL: Unattended and maintenance free. Your drop box costs only your low initial investment. Prevents loss.

VERSATILE: Use for in-plant tool returns, book drop, video returns, rental car keys, document depository, mail collections.

ATTRACTIVE: Prestige design to meet high architectural standards. Makes statement about the quality of your business.

- Made of 18 gauge galvanized steel.
- Painted in electrostatic, attractive grey or black finish.
- Pedestal 5" (126) square post in structural steel welded to 1/4" (6) base.

EASY TO PLACE: Welcomed by shopping malls, convenience stores and grocers who benefit from increased traffic.

RUGGED construction, LOCKED & SECURE: Tamper proof construction resists unlawful entry and collision. Access is limited to designated persons. Reduces loss, theft and misplacement.



LARGE CAPACITY: Easily contains your largest volume of payments, documents, keys or books. Ample capacity for long holidays.

WEATHER PROOF: Sealed against wind, dust and rain. Keeps contents dry and clean.



PEDESTAL HEIGHTS: 16" (406) for model 1012.
30" (762) for model 1011.



MODEL 1012 (LARGE)



MODEL 1011 (SMALL)



Note:

Post for model 1011 is 2" x 2" (50 x 50) steel tubing.


Model 1700

This mail chute is a fully recessed model for internal or external use. Made of stainless steel, the face has a brushed finish. It comes pre-drilled to accept lag bolt fixing to the wall.

Door is made of 1/8" (.32) thick stainless steel. Inside panel attached to drawer tilts upward when drawer is opened to prevent outside tampering with the mail. Opening is large enough to accept bundled mail and or fair-sized parcels.

- Back box constructed of 16 gauge stainless steel, #4 finish.
- Designed for long life in extreme conditions (weather, vandalism).
- Face plate can be supplied alone, or with a rear collection box.
- Custom face plate and collection boxes can be designed for specific needs and sizes.
- Face plate can be optionally prepared for postal Crown lock or high security Medeco/Abloy lock.
- Rear door supplied with cam lock.
- Door on face plate has unique bull-nose design (radius top) 3" (75) to prevent vandalism.

Face plate: (H x W) 18" x 19" (457 x 482)
Door size: (H x W) 12" x 13" (304 x 330)
Opening Clearance: 5.5" (140)



Model 7100


- Special chute and collection box.
- Frames and doors are made of extruded aluminum.
- Mail slot comes with spring-loaded trap and inclined chute.
- For added security, collection box comes with 2 keyed alike cam locks.
- Optional surface collar available for shallow walls.

FRAME SIZE: (H x W) 5" x 13" (127 x 330)
SLOT SIZE: (H x W) 2.5" or 3.5" x 10.5" (64 or 89 x 26)


OPTIONS *

- High security Medeco / Abloy Lock.
- Optional sizes, customer flange made to size is available. Contact customer service.

* charges apply




Model 1750



This mail chute is a fully recessed model for internal or external use. Made completely of aluminum, the face has a brushed finish. It comes pre-drilled to accept lag bolt fixing to the wall.

Door is made of 1/4" (6) sheet aluminum. Inside panel attached to drawer tilts upward when drawer is opened to prevent outside tampering with the mail. A spring-loaded door closer keeps drawer tightly shut. Opening is large enough to accept bundled mail and or fair-sized parcels.

Note: This mail and package depository is used by Canadian post offices across the nation.



Face plate : (H x W) 18" x 20" W (450 x 51)
Door size : (H x W) 10-1/2" x 13" W (266 x 33)

OPTIONS *

- Also available in stainless steel Model #1751. Contact customer service for details.



* charges apply



Model 2300

FEATURES

- Outside slot in anodized aluminum.
- Inside door with lock.
- Chute made of galvanized steel.
- Ideal for winter climate.



Dimensions

FRONT VIEW

FRAME SIZE : 14" x 6 1/8" (356 x 156)
 SLOT SIZE : 11 1/2" x 1 5/8" (292 x 41)
 FIXED PART : 11 1/2" x 1 7/8" (292 x 47)

BACK VIEW


FRAME SIZE : 12 3/8" x 5 1/4" (314 x 133)
 DOOR SIZE : 11 1/8" x 4" (283 x 102)

Model 1600-1 & 1600-2


- Extruded aluminum door 5/32" (4) thick with aluminum frame and heavy gauge metal compartment.
- Locks are 5-pin cylinder cam type, 2 keys each, 1000 changes.
- Prepared for Postal service lock if so required.
- Available in recessed and surface mount.
- Each unit individually boxed can be shipped by Parcel Post.

SURFACE MOUNT SHOWN

1600-1



1600-2



Note: 1600-1 and 1600-2 are always shipped with cam locks.

OPTIONS *

- Engraved "LETTERS" 1/2" (13) high.
- Hood over slot.
- Gold Finish

* charges apply

Dimensions

MODEL	HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH
1600-1	19 1/8" (486)	8 3/4" (222)	7" (178)	17 3/4" (451)	7 1/4" (184)	7" (178)
1600-2	19 1/8" (486)	15 1/4" (387)	7" (178)	17 3/4" (451)	13 3/4" (349)	7" (178)


Size of the Slots: - 1600-1 3/4" (20) H x 5 5/8" (144) W
- 1600-2 3/4" (20) H x 10" (254) W

* All measurements in brackets are in millimeters.

Model 1600 DD (Double door)

- Doors are .080" (2) thick aluminum.
- Outside shroud is .080" (2) brushed clear anodized aluminum.
- Extruded aluminum frame and trim.
- Factory punched 4 key-hole slots 3/16" (5) for easy installation.
- Piano hinged doors prepared for Canada Post Lock.
- Also available in stainless steel. Contact customer service.
- Available with or without slot.
- Locks are 5-pin cylinder cam type, 2 keys each, 1000 changes.
- Each unit individually boxed can be shipped by Parcel Post.

NOTE: Top of unit extends out by 2 1/2" (90)



Dimensions

	HEIGHT	WIDTH	
Frame	18 3/4" (476)	18 3/4" (476)	7 1/2" (191)
Compartment	16 1/2" (419)	16 1/2" (419)	7 1/2" (191)
Postman's door	5 1/2" (140)	16 1/2" (419)	
Tenant's door	11" (279)	16 1/2" (419)	
Slot size	1/2" (13)	11" (279)	
Weight	11lbs - 5 kgs.		

* All measurements in brackets are in millimeters.



Model 234 Nordic (Commercial exterior mailbox)

- Painted steel outside housing with aluminum front.
- Medium capacity lockable compartment.
- 5 pin cam lock with 2 keys as a standard.
- Outside housing painted black.

DIMENSIONS

Box Size:
15" x 10" x 5" (375 x 254 x 125)

Door Size:
10" x 10" (254 x 254)

Slot size:
1" x 9" (25 x 229)



#1 MAILBOX CHOICE NATIONWIDE

Model 1040

- All aluminum construction.
 - Face plate - 1/4" (6) thick.
 - Flange - .080" (2) thick.
- Nylon Rollers for quiet and easy operation of drawer.
- Built in rear security "Flap" that shuts off access when drawer is in open position.
- Door pull with concealed screws.
- Brushed clear anodized finish.

Flange size: 8" deep (202)
Wall opening: 13" x 8" (330 x 202)

Dimensions


	HEIGHT	WIDTH
FACE	9" (228)	14" (356)
DOOR	6" (152)	12" (305)

* All measurements in brackets are in millimeters.

OPTIONS *

- Larger sizes available upon request. Contact customer service.

* charges apply



Slot Model 171

- Sheet aluminum construction 1/4" (6) face plate, brushed clear anodized finish.
- Overall frame size - 14" W x 6" H (356 x 152)
- Slot size - 11" x 3-1/2" (28 x 76)
- Wall Thru Liner/Flange 8" (204) made of .080" (2) thick aluminum.
- Plain door.



OPTIONS *

- Engraved "LETTERS or MAIL" 1/2" (13) high.

* charges apply



Model 172 (Key keeper)

Available only in aluminum


- Allows mail carriers to obtain access key to main building entrance.

Recessed



FINISHES


- Natural Anodized Aluminum.
- Anodized Gold and



Model 173 (Key keeper)

Available only in stainless steel & recessed

- Door is made of .028" (723) ga. Stainless steel.
- Back box is .036" (912) ga. Galvanized steel.
- Piano hinge made of stainless steel.
- Door comes with 4 weld studs and nuts to retain postal lock.



Dimensions for Models 172 & 173

		HEIGHT	WIDTH	DEPTH
	Face plate	6 3/4" (171)	6 1/4" (159)	-
	Wall cut-out	4 1/2" (115)	4" (102)	2 1/4" (57)
MODEL 173	Face plate	6 3/4" (171)	4" (102)	-
	Wall cut-out	5" (127)	2 1/2" (64)	2 1/2" (64)

* All measurements in brackets are in millimeters.

Model 999

Keep your facility free of smokers waste.
Disposal holes only accept cigarette and cigar butts.
200 cu. inch inner receptacle holds 700 butts.

FEATURES

- Fire safe and weather resistant.
- Made of .080 thick brushed anodized aluminum for long lasting outdoor use.
- Attractive, functional and weather resistant.
- Strong stainless steel piano hinge.
- Cigarettes are extinguished and out of sight.
- Graphic decal clearly identifies purpose of box.
- Back of box has 4 key holes for easy installation anywhere.
- 5 pin cam lock with 2 keys prevents tampering.
- Size 15" x 7" x 4" (381 x 178 x 102)
- Available with optional pedestal. Contact customer service.




Model 223 (Push button key keeper)

Made of high pressure zinc and powder coated grey finish, key lockers provide convenient access to stored keys. Key lockers are ideal for quick and easy access to business and homes by children, friends, associates, realtors and emergency personnel. Key lockers easily mount to a wall or other flat surface with four (4) screws provided. A combination of 4 numbers can be programmed and changed by owner.


Size: 3" x 4" x 2" (75 x 102 x 50)

Weight: 3 lbs, 1.4 kg



Model 9000 (Emergency key box)

- Durable steel cabinet houses restricted door key.
- Place by locked exit door, storeroom with emergency equipment.
- Key is accessed by breaking glass, with chain-attached hammer. Glass is then easily replaced.
- Cabinet's bright red baked on enamel finish is easy to spot.
- Paracentric Security Lock.
- Shipping weight: 3lbs (1.4 kg)



Make sure that the emergency key is there when you need it.

Model	Description	Dimensions
201-9000-07	Key Box	6 3/4" x 6 7/8" x 2" (171 x 175 x 52)
201-9001-00	Replacement Glass	4 3/4" x 3 1/8" (110 x 76)

Model S-112 (Postman's electric door opener)

- This is the most compact easy to install door opener, can be installed almost anywhere.
- Specially designed for narrow, aluminum door frames and or where space is limited.
- Made 18 gauge steel, and baked enamel putty grey finish.
- Surface mount application.
- **Size:** 2 3/8" x 6" (55 x 152)
- **Depth:** 1 1/4" (28)

AVAILABLE IN:

- Stainless Steel S-112 / SS
- 13 gauge brushed clear anodized aluminum S-112 / AL
- 18 gauge steel baked enamel grey finish S-112 / PT



#1 MAILBOX CHOICE NATIONWIDE

Model 222

Whether colonial, traditional, tudor, or contemporary...


The simplicity of the Barbican mailbox makes it adaptable to any style of home.

FEATURES

- Made of die cast aluminum, amazingly durable.
- Roomy size can accommodate the largest newspapers and mail for several days.
- Finished in a tough powder coated paint which is guaranteed for 20 years against corrosion.
- Unique, gracefully curved design with flip lid for easy retrieval of mail.




Size: 8" x 18" x 6 3/4" (203 x 458 x 171)



Model 70 (Exterior / Interior mailbox)

STANDARD FEATURES

- Stylish for any entrance.
- Large capacity.
- Rust and weather proof.
- Lift up hood keeps mail dry.
- Door comes with cam lock & 2 keys.
- Made of polycarbonate material.
- Colours will not alter or fade.
- Installation hardware included.
- Available in white or black.



Dimensions

X	12" (305)
Y	16" (410)
Z	5 1/4" (130)



Model 8080

(Exterior mailslot with interior mailbox)


Ideal for harsh winters, when you don't want to go out to get your mail.

MAILBOX FEATURES

- 18 Gauge steel.
- Painted white or brown.
- Epoxy polyester powder coated.
- Cam lock 2 keys.
- Installation hardware included.
- Slot opening 10 1/2" x 1 1/4" (267 x 32)

SLOT FINISHES

- Stainless steel.
- Painted white or brown.





Important:

Not sold separately, only as a set.

Exterior view
with slot



Interior view
with mailbox



* All measurements in brackets are in millimeters.



Model 170 (Mail slot)

- Frame and door made of extruded aluminum.
- Rear flange is galvanized steel.
- Door opens inward.
- Flange depth is 8" (200)

Overall size: 14" x 6 1/8" (355 x 155)

Slot size: 11 1/4" x 3 1/2" (285 x 89)



OPTIONS *

- Can be customized to any length.

* charges apply

#1 MAILBOX CHOICE NATIONWIDE

To prevent your mail and identity theft

The Secure Mail Vault is the first truly secure residential mailbox designed to eliminate the problem of identity theft through stolen mail. The Secure Mail Vault has one of the largest drop chutes in its class, and has plenty of room for large envelopes and magazines. It is perfect for business or vacation, since a week's worth of average mail can be stored safely. The Secure Mail Vault combines imaginative design and durable function to bring you optimal mail security.

- **Touch Pad Entry System**

4-digit security code can be easily programmed for quick keyless access to mail inside

- **Recessed Inner Door**

Interior door sets back 2 inches and is secured by heavy duty deadbolts

- **Seamless Construction**

Powder coated inside and out insuring maximum protection and "like new" finish for many years. No exposed nuts, bolts, screws or fasteners - appears as one piece seamless construction from top to bottom

- **Imaginative Design and Durable Function**

Unique style provides a handsome first impression to any home.

The powder coated galvanized steel body is rust resistant and made to last almost forever. It installs easily onto a powder coated steel post using the hardware provided. The outer door is utilized by the postman for out-bound mail pick-up. The Mail Vault's unique style adds curb appeal to any home landscape. This model is currently available in white and black.



Pedestal is CMC standard type, see page 6.



DIMENSIONS

Overall unit

12" W x 18" H x 21" D (533 x 305 x 458)

Outside door

7 1/2" H x 11" W (190 x 280)

Inside door

7" H x 9 3/4" W (178 x 248)

Slot door

2 1/2" H x 10 1/2" W (63 x 267)


Letter plates - Mail slots & Internal flaps



#1 MAILBOX CHOICE NATIONWIDE



4980 Polished solid brass 3 1/8" x 13" (80 x 330)



4981 Polished solid brass 3 1/8" x 10" (80 x 255)



4992 Antique solid brass 3 1/8" x 13" (80 x 330)




4993 Antique solid brass 3 1/8" x 10" (80 x 255)



3960 Polished brass 3 1/8" x 13" (80 x 330)



V-1000 Polished solid brass 3" x 10" (75 x 255)




3962 Antique solid brass 3 1/8" x 13" (80 x 330)



BF-61 Polished brass 3 1/2" x 11" (90 x 280)
TR-61 Stainless Steel



P-18 Polished solid brass 3 1/8" x 10" (80 x 255)




TR-40 Polished stainless 3 1/2" x 10 3/4" (90 x 273)
BF-40 Polished brass Internal Flap



2301 Extruded aluminum 6" x 14" (153 x 355)
Can be customized



440 telescopic slots 2 3/4" x 10" (70 x 255)
Seals front & back doors. Fits any door thickness.
Polished brass, white or black finish.




265 Stainless steel 3 1/2" x 12 1/2" (90 x 315)




255 painted steel 3 1/2" x 12 1/2" (90 x 315)
Brown or white

Models


1100




1200






1301





1310




Front and rear view of doors with different lock applications



S-104 and S-105



Old Rousseau Door













Miscellaneous locks & parts




#1 MAILBOX CHOICE NATIONWIDE


LOCKS & KEY BLANKS

NATIONAL	ESP	HUDSON	ILCO	LORI
				
S134	S129	S135	S156	S128
				
				819

1558 Key Blank for
Super Mailboxes




Spring Latch S-131



For Rousseau

MODEL S-141



Thumb latch / Non-Locking Cam type lock


is inserted from the front of the door and bolted from behind. Standard in black and chrome finish. Provides a closing latch when security is not needed.

MODEL S-143




Master Combination Lock has concealed mounting and is fastened to the rear of the door. It features an automatic locking bolt and a 3 digit combination dial with 5 touch-of-a-button combination changes built in. Standard key-control allows quick supervisory access.

MODEL S-144




Rear Load Combination Lock is inserted from behind the door and fastened with 2 screws. It comes standard with a die-cast zinc alloy dial with clear lacquer black filled numbers. It has a spring latch with an automatic throw-off.

CMC MASTER LOCK S-127




- Replaces crown lock for private mail distribution.
- Installs on postal bracket without any modification. Comes with 1 key and 4 screws.

MICRO-SWITCH S-133




PUSH BUTTON S-130



Silver or Gold finish

TRANSPARENT PLEXIGLASS OR GRAVOPLY





333

590

Gravoply
Plastics

Single-Tag Key Cabinets



A-D UNI-TAG™ SINGLE-TAG KEY CABINETS

Keys are attached to numbered key tags and filed on key rack slots for easy identification (key tags included). Slotted steel key racks hold key tags securely. When a key is loaned or issued, an "Out Key" control tag recording key number, key recipient, and date is filled out. "Out Key"

tag is filed on same slot to provide key accountability. Alphabetical and numerical lock location data charts aid in organization.

All cabinets are made of welded heavy-gauge steel with piano-hinged doors and key panels. Locking door includes standard disc tumbler key lock with 2 keys. Master-keyed, dual-control or combination locks are available for an additional charge. Color: Sand.

Cat. No.	Key Capacity	Size (H x W x D)	Shpg. Wt. (lbs.)
(A) 201901003	10	6-3/4" x 6-7/8" x 2"	3
(B) 201903003	30	12-1/8" x 8" x 2-5/8"	4
201904003	40	12-1/8" x 8" x 2-5/8"	4.5
2019060A03	60	12-1/8" x 10-5/8" x 3"	10
201908003	80	17-1/8" x 14" x 3-1/8"	10.5
(C) 201911003	110	17-1/8" x 14" x 3-1/8"	11
(D) 201916003	160	20-1/8" x 16-1/2" x 4-7/8"	17
201920003	200	20-1/8" x 16-1/2" x 4-7/8"	19
201924003	240	20-1/8" x 16-1/2" x 4-7/8"	22
201932003	320	20-1/8" x 16-1/2" x 4-7/8"	22
201940003	400	31-1/8" x 16-1/2" x 7"	42
201950003	500	31-1/8" x 16-1/2" x 7"	44
201971503	715	31-1/8" x 16-1/2" x 7"	48


E MODULAR KEY CABINET AND PANEL

The base cabinet comes with 60 numbered key tags and a register for up to 300 key tags. Constructed of heavy-gauge steel with locking doors (2 keys included). Easily wall mounted with accompanying screws.

As your needs grow, add up to 4 additional key panels. Each panel holds up to 60 key tags (included). Easy-to-install screws included.

Cat. No.	Description	Size (W x D x H)
201KC60300PL	Key Cabinet	15-7/8" x 3-7/8" x 18-3/4"
201KCP60PL	Key Tag Panel	11-5/8" x 5/16" x 16-1/4"

Two-Tag Key Cabinets



Two different sets of key tags are numbered to make managing keys easy. Attach your master keys to red, self-locking key tags to make sure they remain on key hooks and your original key is never loaned. Fasten duplicate loaner keys to white, snap-hook key rings and file them on the same hook as the master key. When a loaner key is issued, insert a receipt slip recording the key recipient and date into a brass holder, and hang with the master key. Log all issued keys into the Key Loan Register to keep a written record. All cabinets include a complete set of numbered key tags, receipt slips and holders, and key collection envelopes. A cross-reference binder contains instructions on how to establish your two-tag system along with three types of key indexes and a complete Key Loan Register.

A-B DUPLI-KEY® TWO-TAG CABINETS

Sturdy, welded steel with piano-hinged doors and key panels. Bodies are 20-gauge steel with 18-gauge doors. Hang cabinet on a wall, or use on a table or shelf (mounting screws included). Cabinets include disc-tumbler lock with 2 keys. Master-keyed, combination or dual-control locks are available on most cabinets for an additional cost.

Cat. No.	Key Capacity	Size (H x W x D)	Shpg. Wt (lbs.)
201803003†	30	12-1/8" x 8" x 2-1/2"	6
201804003†	40	12-1/8" x 8" x 2-5/8"	8
(A) 201806003	60	17-1/2" x 14" x 3-1/8"	13
201809003	90	17-1/2" x 14" x 3-1/8"	14
201812003	120	20-1/2" x 16-1/2" x 5"	20
201818003	180	20-1/2" x 16-1/2" x 5"	26
201824003	240	20-1/2" x 16-1/2" x 5"	28
(B) 201830003	300	31-1/8" x 16-1/2" x 5"	42
201839003	390	31-1/8" x 16-1/2" x 5"	46
201846003	460	31-1/8" x 16-1/2" x 5"	49

† Bodies and doors are 20-gauge steel.

DUPLI-KEY ACCESSORIES

C CROSS-REFERENCE INDEX BINDERS

Hard vinyl cover binder includes instructions to start your Dupli-Key system, Key Loan Register Sheets, and a 3-Way Cross Reference Index System. Size: 9 3/4"H x 7"W

Cat. No.	Key Capacity	Size (H x W x D)
201802300	80	9-3/4" x 7" x 1/2"
201802400	240	9-3/4" x 7" x 1"

D 40 KEY LOAN RECORD SHEETS

24 sheets per pack provide capacity for 200 entries. Use as a permanent data of keys issued or loaned.

E KEY RECEIPT SLIPS



Key Receipt Slips are used with Receipt Holders and filed on hooks to maintain record of key recipient.

F BRASS KEY RECEIPT HOLDERS

Used to hold Key Receipt Slips.

G KEY COLLECTION ENVELOPES

Manila envelopes for collection of keys and key control data. Size: 3" x 5".



Cat. No.	Description
(D) 201802100	Key Loan Record Sheets (24 per pack)
(E) 201801500	Key Receipt Slips (250 per pack)
(F) 201801626	Key Receipt Holders (100 per pack)
(G) 201801400	Key Collection Envelopes (100 per pack)

A - PORTABLE ZIPPERED KEY CASES

Attractive burgundy leather-like vinyl case has brass corners and looks like a portfolio. Easy-slide zipper keeps keys enclosed. Velcro® keeps keys securely in place. Velcro-backed key tags (includes).

Cat. No.	Description	Dimensions
201 502417	24 key zipper case	1" x 8" x 10"
201 504817	48 key zipper case	1" x 9" x 12"

B - KEY CASSETTE

Outside it looks like a VCR case - inside it stores 16 Velcro backed key tags! Ideal for safe, secure storage and transport.

Cat. No.	Description	Dimensions
201 501604	Key cassette	8" x 5" x 1 1/8"

D - DROP-IN KEY CONTROL BOX

Drop the keys into the slot opening on top of the box. Only an authorized person with the key to the drop box can retrieve them. Mounts on carts, walls, and doors. Key lock comes with 2 keys. Master keying available at additional charge.

Dimensions: 7 1/4" H x 4 3/8" W x 3 1/4" D. **Color:** Grey

Shipping weight: 2.4 lbs

Cat. No.	Description
201980001	Drop-in key box keyed differently
201980101	Drop-in key box keyed alike


E - DOOR-MOUNTED KEY BOX

Zinc-plated, 18 gauge steel box hooks over the top of any door up to 1 13/16" thick. Top edge is screwed into top of door, so mounting holes are hidden when door is closed. Key lock comes with 2 keys. Master keying available at additional charge.

Dimensions: 3 1/4" H x 2 1/2" W x 2" D.

Shipping weight: 1.0 lbs

Cat. No.	Description
201985001	Door mounted key box keyed differently
201985101	Door mounted key box keyed alike



KS Economy Series Key Cabinets


KS 32 CAPACITY
KS 64 CAPACITY
KS 96 CAPACITY

Dimensions

x 13 1/4" (340)


y 9 1/4" (240)

z 1 1/2" (140)




For Apartments & Commercial Applications Fits Our Vertical Mailboxes Model S-101 Series


NEW PRODUCT
FROM CMC



- Improves lock strength and resistance to the most common methods of attack
- Far exceeds current mailbox safety standards.
- Kits are designed to strengthen both the Postal Crown Lock door and master gate.
- Easy to install, takes only a few tools and a little time.
- Protects mailboxes against tampering & theft, helping reduce identity theft.
- Keeps mail safe and maximizes your mailbox investment.



Fits Our Horizontal Mailboxes Model 1100 and 2600 Series



CANADIAN MAILBOX COMPANY



5170, Saint-Patrick Street, Montreal (QC) Canada H4E 4N5 • Tel.: (514) 362-1397 • Fax.: (514) 362-1412
800-363-8735 • www.canadianmailbox.com • info@canadianmailbox.com